

Serial No.: 09/382,553

Attorney Docket No.: 99P7755US

invoking a first local configuration application to configure a first component of the network object; and

invoking a second local configuration application to configure a second component of the network object;

wherein said network configuration request issues from a source that provides a single point of entry to control a plurality of network and local configuration activities.

### REMARKS

Claims 1-29 are pending. Claims 1-29 have been rejected under 35 U.S.C. §103 as being unpatentable over Lo et al., U.S. Patent No. 4,933,967 ("Lo"). Applicants respectfully submit that the claimed invention is not taught, suggested, or implied by Lo.

As described in the Specification, an aspect of the present invention is to provide an improved system for managing a telecommunications network. A system according to embodiments of the present invention includes a central network management server which enables a user to control all local configuration activities in a network form a single point of entry.

As discussed in response to the previous Official Action, the present invention thus allows, for example, updating a multiple of types of objects and coordinating such updating across the network. In one embodiment, the network includes one or more instances of a first object type and one or more instances of a second object type. The first object type is associated with a first product of the communication network and the second object type is associated with a second product of the network. The network includes, e.g., a first local module for configuring each instance of the first object type and a second local module for configuring each instance of the second object type. A network management server of the network includes a product specific coordinator. The product specific coordinator includes means for coordinating configuration activities among each instance of the first object type via the first local module and means for

Serial No.: 09/382,553

Attorney Docket No.: 99P7755US

coordinating configuration activities among each instance of the second object type via the second local module.

The network further includes a network coordinator adapted for configuring each instance of a network object. The network object includes a first component associated with the first object type and a second component associated with the second object type. A suitable network object might include, as an example, a person object that includes a PBX component and a phone mail component. The communication network may further include a network management client that includes a graphical user interface adapted for enabling a user to invoke the network management server.

Thus, Claim 1 and Claim 13 have been amended to recite "wherein said network management server provides a single point of entry to control a plurality of network and local configuration activities;" and claim 24 has been amended to recite "wherein said network configuration request issues from a source that provides a single point of entry to control a plurality of network and local configuration activities."

As acknowledged in the Official Action, Lo does not provide either separate local means or separate instance configuration of the first and second object types. Thus, as acknowledged, Lo does not provide for a single point of entry to control a plurality of network and local configuration activities. Indeed, Lo appears representative of a problem solved by the present invention, which is to provide relatively network-wide configuration options and allows, for example, for separate instance configuration of the first and second object types.

Serial No.: 09/382,553

Attorney Docket No.: 99P7755US

For all of the above reasons, Applicants respectfully submit that the application is in condition for allowance, which allowance is earnestly solicited.

Respectfully requested,

SIEMENS CORPORATION

By: 

David D. Chung  
Registration No.: 38,409  
Attorney for Applicant(s)  
Tel.: 650-694-5339  
Fax: 650-968-4517

Date: 2 May 03

SIEMENS CORPORATION  
Intellectual Property Department  
170 Wood Avenue South  
Iselin, New Jersey 08830  
ATTENTION: Elsa Keller, Legal Department  
Telephone: (732) 321-3026

Serial No.: 09/382,553

Attorney Docket No.: 99P7755US

## MARKED UP CLAIMS

1. (Amended) A communication network, comprising:
- at least one instance of a first object type associated with a first product of the communication network;
  - at least one instance of a second object type associated with a second product of the communication network;
  - first local means for configuring each instance of the first object type;
  - second local means for configuring each instance of the second object type;
  - a network management server comprising a product specific coordinator including means for coordinating configuration activities among each instance of the first object type via the first local means and means for coordinating configuration activities among each instance of the second object type via the second local means and further comprising a network coordinator adapted for configuring each instance of a network object comprising a first component associated with the first object type and a second component associated with the second object type; and
  - a network management client including a graphical user interface adapted for enabling a user to invoke the network management server;
- wherein said network management server provides a single point of entry to control a plurality of network and local configuration activities.

13. (Amended) A communication network manager, comprising:
- a network management server including a product specific coordinator comprising means for coordinating configuration activities among each instance of a first object type via first local configuration means and means for coordinating configuration activities among each instance of a second object type via second local means, and further comprising a network coordinator adapted for configuring each

Serial No.: 09/382,553

Attorney Docket No.: 99P7755US

instance of a network object comprising a first component associated with the first object type and a second component associated with the second object type; and  
a network management client suitable for enabling a user to invoke the network management server;

wherein said network management server provides a single point of entry to control a plurality of network and local configuration activities.

24. (Amended) A method of managing a communication network, comprising:  
identifying the components of a network object in response to a network configuration request;

invoking a first local configuration application to configure a first component of the network object; and

invoking a second local configuration application to configure a second component of the network object;

wherein said network configuration request issues from a source that provides a single point of entry to control a plurality of network and local configuration activities.